Index

A

ABSORBABILITY of stearic acid when fed as a simple or mixed triglyceride, the, 338.
Acetic acid, in ration, effect on growth, 135.
Acid(s) composition and the nutritive value of proteins, amino, 387.
— in the diet of adult chickens on calcium utilization by the progeny, the effect of ascorbic, 33.
— rations for growing lambs, volatile fatty, 135.
— in fish meals and other protein sources, biological availability of amino, 65.
— in the growing mouse and rat, interrelation of cholesterol, palmitic acid, and unsaturated fatty, 185.
— in groups of Africans with low and high fat intake, serum polyunsaturated fatty, 195.
Adult(s) consuming a deficient diet supplemented with torula yeast and other nitrogenous products, 49.
—, the effect of nitrogen intake upon the urinary riboflavin excretion of young male, 85.
Africans with low and high fat intake, serum polyunsaturated fatty acids in groups of, 195.
Age and supplemental amino acids on the utilization of milk and soya protein by the young pig, the effect of, 179.
Alfalfa meal and other bulk-containing or bulk-forming materials on symptoms of Tween 60 toxicity in the immature mouse, beneficial effects of, 172.
All-vegetable protein mixtures for human feeding. I. Use of rats and baby chicks for evaluating corn-based vegetable mixtures, 343.
ALMON, LOIS. See Kilgore, Lois, 39.
American Institute of Nutrition Awards and Fellows, invitation for nominations for 1960, 104.
— — — —, proceedings of the twenty-third annual meeting of the, 95.
Amino acid(s) requirement in the growing chicken, protein depletion and, 117.
— — requirements for maintenance in the adult rooster. II. The requirements for glutamic acid, histidine, lysine and arginine, 289.
— —-sugar reaction, inhibition of the, 318.
— — composition and the nutritive value of proteins. I. Essential amino acid requirements of the growing rat, 387.
— — in fish meals and other protein sources, biological availability of, 65.
— —, balance, imbalance, protein, lysine, requirement, 58.
— — on the utilization of milk and soya protein by the young pig, the effect of age and supplemental, 179.
— —, analysis of various vegetable mixtures, 387.
ANDERSON, CARL E. See Williams, J. N., Jr., 229.
Antibiotic(s) feeding, the role of coprophagy in the availability of vitamins synthesized in the intestinal tract with, 81.
—, penicillin, effect on growth using thiamine-limiting diet, 81.
Antithyrotoxic factor of liver, the, 412.
Aortas of chickens, biochemical observations, 163.
Arginine and methionine for the growth and fur development of mink fed purified diets, the importance of, 147.
—, availability in the chick, 65.
— deficiency related to liver residue factor, 147.
— effect on weight gain, feed conversion, 179.
—, the requirements for glutamic acid, histidine, lysine and arginine, II. Amino acid requirements for maintenance in the adult rooster, 289.
Ascorbic acid, deficiency in rachitic progeny of chicks, 33.
— — in the diet of adult chickens on calcium utilization by the progeny, the effect of, 33.
Atherogenesis in rabbits fed liquid oil, hydrogenated oil, wheat germ and sucrose, comparisons of, 202.
Atherosclerosis, polyethenoid acids in sera of Africans, 195.
Atheromatosis in cholesterol-fed and diethylstilbestrol-implanted cockerels, the influence of selected vegetable fats on plasma lipid concentrations and aortic, 283.
—, relation of fat to aortic lesion scores, 283.
Availability to chicks of zinc in various compounds and ores, the, 306.
Awards, Borden, to Harry Steenbock, 95.
—, Osborne-Mendel, to Grace A. Goldsmith, 95.
Azo dye carcinogenesis, the effect of certain inorganic salts upon, 435.

B

B_{12} on the interrelationship of choline and vitamin B_{12} in rats with nutritional edema, studies with the use of Co^{60}-labeled vitamin, 309.
Barium, utilization, effect of lactose, lysine, 23.
BARNES, RICHARD H., EVA KWONG, GRACE FIALA, M. RECHCIGL, RUTH N. LUTZ AND J. K. LOOSLI. Dietary fat and protein and serum cholesterol. I. Adult swine, 261.
BARNES, RICHARD H., EVA KWONG, WILSON POND, ROBERT LOWRY AND J. K. LOOSLI. Dietary fat and protein and serum cholesterol. II. Young swine, 269.
BAUMANN, C. A. See Hardy, R. W. F., 429.
BAUR, L. S., AND L. J. FILER, JR. Influence of body composition of weanling pigs on survival under stress, 128.
Beneficial effects of alfalfa meal and other bulk-containing or bulk-forming materials on symptoms of Tween 60 toxicity in the immature mouse, 172.
Betaine, effect on nutritional edema, 309.
BIELY, JACOB. See March, B. E., 105.
BIERI, J. G., AND C. J. POLLARD. Serum protein changes in vitamin E-deficient chicks, 301.
Biochemical observations on aortas of chickens. Effect of different fats and varying levels of protein, fat and cholesterol, 163.
Biographical sketch of David Breese Jones (1879–1954) with portrait, a Chase Breese Jones, 9.
Biological availability of amino acids in fish meals and other protein sources, 65.
Blood and urine of women on controlled diets, riboflavin in the, 191.
— coagulation factors in rabbits exhibiting hyperlipemia induced by feeding saturated fat, effects of essential fatty acids, inositol, vitamin B_{12} and hydrolyzed glucose-cyclo-acetoacetate on, 403.
Body composition of weanling pigs on survival under stress, influence of, 128.
BOSSHARDT, DAVID K., MARIA KEYVOKULSKY AND E. E. HOWE. Interrelation of cholesterol, palmitic acid, and unsaturated fatty acids in the growing mouse and rat, 185.
BRESSANI, R. See Squibb, R. L., 343.
BRESSANI, R., A. AGUIRRE AND NEVIN S. SCRIMSHAW. All-vegetable protein mixtures for human feeding. II. The nutritive value of corn, sorghum, rice and buckwheat substituted for lime-treated corn in INCAP vegetable mixture 8, 351.
BRUNO, DOROTHY. See Portman, Oscar, 245.
Butyric acid, in ration, effect on growth, 135.
Bulk-containing or bulk-forming materials on symptoms of Tween 60 toxicity in the immature mouse, beneficial effects of alfalfa meal and other, 172.

Bulk-forming materials on symptoms of Tween 60 toxicity in the immature mouse, beneficial effects of alfalfa meal and other bulk-containing or, 172.

C

CALCIUM citrate calculi, effect of diet, 325.
———, the influence of diet on the formation and prevention of, 392.
— and magnesium, galactose ingestion and urinary excretion of, 142.
—, effect of orthophosphate on retention, 419.
—, promotion of absorption during vitamin D_3 deficiency, 33.
— utilization by the progeny, the effect of ascorbic acid in the diet of adult chickens on, 33.
—, —, effect of lactose, lysine, 23.
——, the site of action of lactose in the enhancement of, 23.
Calculi, I. The influence of diet on the formation and prevention of calcium citrate, 392.
Calories, deprivation, correlation with body composition, 128.
Carbohydrates and proteins during protein depletion and repletion in the adult rat, serial determinations of serum protein-bound, 151.
Carcinogenesis, the effect of certain inorganic salts upon azo dye, 435.
Casein-mineral ratio, effect on urolith formation or prevention, 392.
Cation-anion imbalance on the growth and mineral nutrition of rabbits, effect of a physiological, 28.
CATRON, D. V. See Hays, V. W., 179.
Cebus monkeys, repletion and depletion of polyunsaturated fatty acids in, 245.
CHARNEY, LOWELL W. Methionine, iodocasein and oxygen consumption of chicks, 295.
Chicken(s) biochemical observations on aortas of, 163.
— on calcium utilization by the progeny, the effect of ascorbic acid in the diet of adult, 33.
—, protein depletion and amino acid requirement in the growing, 117.
Chick(s) and rats to survive dietary deficiencies of single vitamins, studies on the ability of sorbitol and various sugars to enable, 74.
—, dietary modification of serum cholesterol in the, 105.
— for evaluating corn-based vegetable mixtures, I. Use of rats and baby, 343.
— growth factors apparently organic in nature, studies on unidentified, 277.
—, methionine, iodocasein and oxygen consumption of, 295.
—, serum protein changes in vitamin E-deficient chicks, 301.
— of zinc in various compounds and ores, the availability to, 306.
Chinchilla, riboflavin in the nutrition of the, 214.
Cholesterol, chow supplemented with, 202.
—, dietary fat and protein and serum, I, II, 261.
—, effect of different fats and varying levels of protein, fat and, 163.
— -fed and diethylstilbestrol-implanted cockerels, the influence of selected vegetable fats on plasma lipid concentrations and aortic atheromatosis in, 283.
— in the chick, dietary modification of serum, 105.
— in the rat, effect of thiamine deficiency and thiamine injection on total liver lipids, phospholipids, plasmalogens, 229.
—, influence on infarct production, 343.
—, level, effect of protein level on, 105.
—, palmitic acid, and unsaturated fatty acids in the growing mouse and rat, interrelation of, 185.
—, riboflavin and total lipids in the rat, relation of dietary fat and supplementary riboflavin to tissue levels of, 356.
—, serum, influence of dietary fat and CHO, 325.
Choline, effect on nutritional edema, 309.
—, requirement, effect of various sugars on, 74.
Chromogenic reaction, effect of glucose, fructose or fibrin hydrolysate on, 318.
CLASSEN, L. J. See Wharton, F. D. Jr., 74.
CLAYTON, C. C. The effect of certain inorganic salts upon azo dye carcinogenesis, 435.
Co^{60}-labeled vitamin B_{12} on the interrelationship of choline and vitamin B_{12} in rats with nutritional edema, studies with the use of, 309.
Cobalt salts, dietary effect on incidence of liver tumor, 435.
Cockerels, the influence of selected vegetable fats on plasma lipid concentrations and aortic atheromatosis in cholesterol-fed and diethylstilbestrol-implanted, 283.
COLES, CAROL MARIE. See Hawkins, W. W., 383.
CONSOLAZIO, C. F. See Plough, I. C., 365.
Comparisons of atherogenesis in rabbits fed liquid oil, hydrogenated oil, wheat germ and sucrose, 202.
Comparative activity of liver residue and other proteins, III, 412.
Compounds and ores, the availability to chicks of zinc in various, 306.
Coprophagy in the availability of vitamins synthesized in the intestinal tract with antibiotic feeding, the role of, 81.
Corn oil, effect on plasma and aorta cholesterol, 163.
Coronary thromboses and myocardial infarcts in rats, modifications of diets responsible for induction of, 325.
Cortisone, effect on nail growth in rat, 121.
CULIK, R. See Rosenberg, Hans R., 217.
Cystine, availability in the chick, 65.
—, requirement related to protein level, 387.

D

DAM, RICHARD, A. B. MORRISON AND L. C. NORRIS. Studies on unidentified chick growth factors apparently organic in nature, 277.
DANIELS, MARTHA. See Smith, Janice M., 85.
Deficiency in rats induced by the feeding of irradiated beef, vitamin K, 18.
Depletion and repletion in the adult rat, serial determinations of serum protein-bound carbohydrates and proteins during protein, 151.
— of polyunsaturated fatty acids in Cebus monkeys, repletion and, 245.
DICK, EDNA. See Smith, Janice M., 85.
Diet(s), effect of rice and beans similar to torula yeast, 49.
—, New Hampshire timothy hay diet, rabbits, 28.
— of adult chickens on calcium utilization by the progeny, the effect of ascorbic, 33.
—, Puerto Rican, low income, 49.
—, riboflavin in the blood and urine of women on controlled, 191.
— supplemented with torula yeast and other nitrogenous products, nitrogen balance of young adults consuming a deficient, 49.
—, the importance of arginine and methionine for the growth and fur development of mink fed purified, 147.
—, thrombogenic, basal and modifications, 343.
Dietary fat and protein and serum cholesterol. I. Adult swine, 261.
——, fatty acid distribution in egg yolk as influenced by type and level of, 253.
— level of protein and lysine requirement, II., 58.
— modification of serum cholesterol in the chick, 105.
— nitrate on rabbits and rats, the effects of, 39.
— stress, effect on survival and body composition, 128.
Diethylstilbestrol-implanted cockerels, the influence of selected vegetable fats on plasma lipid concentrations and aortic atheromatosis in cholesterol-fed and, 283.
DUPONT, JACQUELINE L. See Marshall, Mary W., 325.
DYAR, ELIZABETH, 356.
DYMSZA, H. A., G. REUSSNER, JR. AND R. THIESSEN, JR. Effect of normal and high intakes of orthophosphate and metaphosphate in rats, 419.

E

ECKERT, R. E. See Rosenberg, Hans R., 217.
Edema, studies with the use of Co^{60}-labeled vitamin B_{12} on the interrelationship of choline and vitamin B_{12} in rats with, 309.
EDWARDS, HARDY M., JR. The availability to chicks of zinc in various compounds and ores, 306.
EDWARDS, MARGARET A. See Morley, Nina H., 191.
Effect(s) of age and supplemental amino acids on the utilization of milk and soya protein by the young pig, 179.
—— a physiological cation-anion imbalance on the growth and mineral nutrition of rabbits, 28.
—— certain inorganic salts upon azo dye carcinogenesis, the, 435.
—— dietary fats and carbohydrates on digestibility of nitrogen and energy supply, and on growth, body composition and serum cholesterol of rats, 325.
—— dietary nitrate on rabbits and rats, the, 39.
—— different fats and varying levels of protein, fat and cholesterol, 163.
—— excess thiamine and pyridoxine on growth and reproduction in rats, 111.
—— nitrogen intake upon the urinary riboflavin excretion of young male adults, the, 85.
—— normal and high intakes of orthophosphate and metaphosphate in rats, 419.
—— radiation sterilization on the nutritive value of foods. V. On the amino acid composition of milk and beef, 45.
—— thiamine deficiency and thiamine injection on total liver lipids, phospholipids, plasmalogen and cholesterol in the rat, 229.
Egg yolk as influenced by type and level of dietary fat, fatty acid distribution in, 253.
ELVEHJEM, C. A. See Leoschke, W. L., 147, 211, 214.
Energy, intake, apparent digestibility, relation to fat source and weight gain, 325.
— supply, and on growth, body composition and serum cholesterol of rats, effect of dietary fats and carbohydrates on digestibility of nitrogen and, 325.
ERSHOFF, B. H., AND H. J. HERNANDEZ. Beneficial effects of alfalfa meal and other bulk-containing or bulk-forming materials on symptoms of Tween 60 toxicity in the immature mouse, 172.
ESSIG, H. W., E. E. HATFIELD AND B. CONNOR JOHNSON. Volatile fatty acid rations for growing lambs, 135.
Excretion of nitrogen by the rat in vitamin B_6 deficiency, the, 383.
—— young male adults, the effect of nitrogen intake upon the urinary riboflavin, 85.
Experimental study of nail growth, an, 121.

F

FAT(S), aortic, -fatty acid composition, compared with plasma fat, 163.
—, —, effect of cholesterol on saturation, 163.
— and carbohydrates on digestibility of nitrogen and energy supply, and on growth, body composition and serum cholesterol of rats, effect of dietary, 325.
— and varying levels of protein, fat, and cholesterol, effect of different, 163.
—, beef tallow, effect on serum cholesterol, 269.
— content of milk and concentration of certain enzymes in human milk, relation between dietary fat, 274.
—, — in milk in relation to rumen acetic acid and propionic acid, 235.
—, effect of corn oil diet on lipoprotein fractions, 261.
—, — — ration on content in milk, 235.
—, — — saturated fat on serum cholesterol, 261.
—, — — various on serum cholesterol, 105.
—, — on cholesterol using varying levels of riboflavin, 356.
—, fatty acid distribution in egg yolk as influenced by type and level of dietary, 253.
—, plasma-fatty acid compositon, compared with aortic fat, 163.
—, relation of absorbability to triglyceride content, 338.
—, relationship between plasma lipid pattern and fat fed, 283.
—, various, relation to CHO source and weight gain, 325.
—, —, severity of atherosclerosis related to, 202.
Fatty acid(s) polyunsaturated, effect of repletion and depletion, 245.
—— distribution in egg yolk as influenced by type and level of dietary fat, 253.
FEIGENBAUM, ABRAHAM. See Fisher, Hans, 163.
FIALA, GRACE. See Barnes, Richard H., 261.
Fibrin hydrolysate, inhibiting effect on chromogenic reaction, 318.
FILER, L. J., JR. See Baur, L. S., 128.
Fish meals and other protein sources, biological availability of amino acids in, 65.
FISHER, H. See Leveille, Gilbert A., 289.
FISHER, HANS, ABRAHAM FEIGENBAUM, GILBERT A. LEVEILLE, HAROLD S. WEISS AND PAUL GRIMINGER. Biochemical observations on arotas of chickens. Effect of different fats and varying levels of protein, fat and cholesterol, 163.
—, PAUL GRIMINGER AND GILBERT A. LEVEILLE. Protein depletion and amino acid requirement in the growing chicken, 117.
Folacin, effect on nutritional edema, 309.
FREDERICKSON, R. L. See Overby L. R., 318.
FRITZ, J. C. See Wharton, P. D., Jr., 74.
FROST, D. V. See Overby, L. R., 318.
Fructose, solution, diminished loss of nutritive value with fibrin hydrolysate, 318.
Fur development, the thiamine requirement of the mink for growth and, 211.
Fur development of mink fed purified diets, the importance of arginine and methionine for the growth and, 147.

G

GALACTOSE, effect on urinary excretion of calcium, magnesium, 142.
— ingestion and urinary excretion of calcium and magnesium, 142.
Glucose-cyclo-acetoacetate on blood coagulation factors in rabbits exhibiting hyperlipemia induced by feeding saturated fat, effects of essential fatty acids, inositol, vitamin B_{12} and hydrolyzed, 403.
—, solution, loss of nutritive value during storage, 318.
Glutamic acid, histidine, lysine and arginine, II. The requirements for, 289.
Glycine, effect on proteinuria, 429.
—, suppression of rat proteinuria by dietary, 429.
GIEGER, MARVIN. See Kilgore, Lois, 39.
GODWIN, KENNETH O. Experimental study of nail growth, an, 121.
GOLDSMITH, GRACE A., Osborne-Mendel Award recipient, 95.
GOYCO, JOSE A. WITH THE TECHNICAL ASSISTANCE OF CARMEN LUZ SANTIAGO AND ELISEO RIVERA. Nitrogen balance of young adults consuming a deficient diet supplemented with torula yeast and other nitrogenous products, 49.
GRAU, C. R. See Ousterhout, L. E., 65.
GRIMINGER, PAUL. See Fisher, Hans, 117, 163.
Growing lambs, volatile fatty acid rations for, 135.
Growth, an experimental study of nail, 121.
— and fur development of mink fed purified diets, the importance of arginine and methionine for the, 147.
—— fur development, the thiamine requirement of the, 211.
—— mineral nutrition of rabbits, effect of a physiological cation-anion imbalance on the, 28.
—— reproduction in rats, effects of excess thiamine and pyridoxine on, 111.

—, body composition and serum cholesterol of rats, effect of dietary fats and carbohydrates on digestibility of nitrogen and energy supply, and on, 325.

H

HAQQ, S. A. See March, B. E., 105.
HARDY, R. W. F., AND C. A. BAUMANN. Suppression of rat proteinuria by dietary glycine, 429.
HARE, ALICE. See Smith, Janice M., 85.
HARRILL, INEZ, ANNE M. KYLEN, ADELIA WEIS AND ELIZABETH DYAR. Relation of dietary fat and supplementary riboflavin to tissue levels of cholesterol, riboflavin and total lipids in the rat, 356.
HARTMANN, P. A. See Hays, V. W., 179.
HARTROFT, W. STANLEY. See Thomas, Wilbur A., 325.
HAWKINS, W. W., VERNA G. LEONARD AND CAROL MARIE COLES. The excretion of nitrogen by the rat in vitamin B_6 deficiency, 383.
HAYASHIDA, TAKUYADA. See Portman, Oscar, 245.
HAYS, V. W., V. C. SPEER, P. A. HARTMAN AND D. V. CATRON. The effect of age and supplemental amino acids on the utilization of milk and soya protein by the young pig, 179.
HEGGENESS, FRANKLIN W. Galactose ingestion and urinary excretion of calcium and magnesium, 142.
Hepatectomy, the reaction of the rat to different levels of manganese following, 158.
HERNANDEZ, H. J. See Ershoff, B. H., 172.
HILDEBRAND, HAZEL E. See Marshall, Mary W., 325.
Histidine, lysine and arginine, II. The requirements for glutamic acid, 289.
—, requirement related to protein level, 387.
HOWE, E. E. See Bosshardt, David K., 185.
Human feeding, all-vegetable protein mixtures for, 351.
— milk, relation between dietary fat, fat content of milk and concentration of certain enzymes in, 274.

I

IMBALANCE, amino acid balance and II. Dietary level of protein and lysine requirement, 58.
— on the growth and mineral nutrition of rabbits, effect of a physiological cation-anion, 28.
Importance of arginine and methionine for the growth and fur development of mink fed purified diets, 147.
Infarcts in rats, modifications of diets responsible for induction of coronary thromboses and myocardial, 325.
Influence of body composition of weanling pigs on survival under stress, 128.
Ingestion and urinary excretion of calcium and magnesium, galactose, 142.
Inhibition of the amino acid-sugar reaction, 318.
INCAP, Vegetable Mixture, 8, 351.
Inositol, vitamin B_{12} and hydrolyzed glucose- cyclo-acetoacetate on blood coagulation factors in rabbits exhibiting hyperlipemia induced by feeding saturated fat, effects of essential fatty acids, 403.
Intake, serum polyunsaturated fatty acids in groups of Africans with low and high fat, 195.
Interrelation of cholesterol, palmitic acid, and unsaturated fatty acids in the growing mouse and rat, 185.
Intestinal tract with antibiotic feeding, the role of coprophagy in the availability of vitamins synthesized in the, 81.
Invitation for nominations for 1960 American Institute of Nutrition Awards and Fellows, 104.
Iodocasein and oxygen consumption of chicks, methionine, 295.
—, effect on growth, feed efficiency, O_2 consumption and liver weight, 295.
IRGENS-MØLLER, IDA. See Morley, Nina H., 191.
Irradiated beef, vitamin K deficiency in rats induced by the feeding of, 18.
Isoleucine, requirement related to protein level, 387.

J

JOHNSON, B. CONNOR. See Mameesh, M. S., 18; Tsien, W. S., 45; Metta, V. Chalam, 18; Rao, P. B. Rama, 387.
JONES, CHASE BREESE, a biographical sketch of David Breese Jones (1879–1954) with portrait, 9.
JONES, DAVID BREESE, biography, 9.

K

K deficiency in rats induced by the feeding of irradiated beef, vitamin, 18.
KARMARKAR, M. G., AND C. V. RAMAKRISHNAN. Relation between dietary fat, fat content of milk and concentration of certain enzymes in human milk, 274.
KILGORE, LOIS, LOIS ALMON AND MARVIN GIEGER. The effects of dietary nitrate on rabbits and rats, 39.
KRYVOKULSKY, MARIA. See Bosshardt, David K., 185.
KUBON, GUNTHER W. See Tennent, David M., 283.
KWONG, EVA. See Barnes, Richard H., 261, 269.
KYLEN, ANNE M. See Harrill, Inez, 356.

L

L-ARGININE, requirement for maintenance and feather synthesis in rooster, 289.
— -Lysine, requirement in rooster, 289.
Lactose, effect on barium utilization, 23.
—, — — calcium utilization, 23.
—, — — magnesium utilization, 23.
—, — — radium utilization, 23.
—, — — strontium utilization, 23.
LAKSHMANAN, S. See Shaw, J. C., 235.
Lambs, volatile fatty acid rations for growing, 135.
LENGEMANN, F. W. The site of action of lactose in the enhancement of calcium utilization, 23.
LEONARD, VERNA G. See Hawkins, W. W., 383.
LEOSCHKE, W. L., AND C. A. ELVEHJEM. Riboflavin in the nutrition of the chinchilla, 214.
—, —, The importance of arginine and methionine for the growth and fur development of mink fed purified diets, 147.
—, —, Thiamine requirement of the mink for growth and fur development, 211.
Leucine, requirement related to protein level, 387.
LEURQUIN, P. See Roels, O. A., 195.
LEVEILLE, GILBERT A., AND H. FISHER. Amino acid requirements for maintenance in the adult rooster. II. The requirements for glutamic acid, histidine, lysine and arginine, 289.
LEVEILLE, GILBERT A. See Fisher, Hans, 117, 163.
LEWIS, T. R. See Shaw, J. C., 235.
LING, SHUN HUNG. See Weimer, Henry E., 151.
Linoleic acid, content of eggs from hens fed safflower or cottonseed oil, 253.
— —, dietary level, effect on lethal level of oleic acid, 185.
— —, — —, — — polyunsaturated fatty acid level, 195.
— —, — of depletion and repletion on PFA and total fatty acid levels, 245.
Liver, composition, effect of stress on, 128.
— lipids, phospholipid, plasmalogen and cholesterol in the rat, effect of thiamine deficiency and thiamine injection on total, 229.
—, the antithyrotoxic factor of, 412.
LOOSLI, J. K. See Barnes, Richard H., 269.
LOSEE, F. L. See Van Reen, Robert, 392.
LOWRY, ROBERT. See Barnes, Richard H., 269.
LU, SHIH DZUNG CHEN. See Smith, Janice M., 85.
LUNDHOLM, B. D. See Ousterhout, L. E., 65.
LYON, H. W. See Van Reen, Robert, 392.
Lysine and arginine, II. The requirements for glutamic acid, histidine, 289.
— — threonine supplementation of rice, 217.
—, availability in the chick, 65.
—, balance, as sole source of protein, 58.
—, effect on barium utilization, 23.

—, — — growth and feed efficiency of supplementary vegetable mixture, 387.
—, — — magnesium utilization, 23.
—, — — radium utilization, 23.
—, — — strontium utilization, 23.
—, in wheat gluten, 58.
—, requirement, 58.
— —, dietary level of protein and, II; 58.
—, — in protein depletion, 117.
—, — related to protein level, 387.

M

MAGNESIUM, galactose ingestion and urinary excretion of calcium and, 142.
—, utilization, effect of lactose, lysine, 23.
MAMEESH, M. S. See Metta, V. Chalam, 18.
MAMEESH, M. S., R. E. WEBB, H. W. NORTON AND B. CONNOR JOHNSON. The role of coprophagy in the availability of vitamins synthesized in the intestinal tract with antibiotic feeding, 81.
Manganese following hepatectomy, the reaction of the rat to different levels of, 158.
—, toxicity from high level, 158.
MARCH, B. E., AND JACOB BIELY WITH THE TECHNICAL ASSISTANCE OF J. TOTHILL AND S. A. HAQQ. Dietary modification of serum cholesterol in the chick, 105.
MARSHALL, MARY W., HAZEL E. HILDEBRAND, JACQUELINE L. DUPONT AND MADELYN WOMACK. Effect of dietary fats and carbohydrates on digestibility of nitrogen and energy supply, and on growth, body composition and serum cholesterol of rats, 325.
MATTSON, F. H. The absorbability of stearic acid when fed as a simple or mixed triglyceride, 338.
Metaphosphate in rats, effect of normal and high intakes of orthophosphate and, 419.
Methemoglobin, effect of nitrate on, 39.
Methionine, availability in the chick, 65.
—, deficiency related to liver residue factor, 147.
—, DL-, effect on weight gain, feed efficiency, pigs, 179.
—, effect of supplement on nitrogen balance, 49.
—, — on growth, feed efficiency, O_2 consumption and liver weight, 295.
— for the growth and fur development of mink fed purified diets, the importance of arginine and, 147.
—, iodocasein and oxygen consumption of chicks, 295.
—, relation of to reduced excretion of uric acid, 295.
—, requirement in protein depletion, 117.
—, — related to protein level, 387.
METTA, V. CHALAM, M. S. MAMEESH AND B. CONNOR JOHNSON. Vitamin K deficiency in rats induced by the feeding of irradiated beef, 18.
METTA, V. CHALAM. See Rao, P. B. Rama, 387.
MICHAELS, G. D. See Wheeler, Priscilla, 253.
Milk and concentration of certain enzymes in human milk, relation between dietary fat, fat content of, 274.
— — soya protein by the young pig, the effect of age and supplemental amino acids on the utilization of, 179.
—, effect of quality and quantity of concentrate on the volatile fatty acids of the rumen and on the composition of the, 235.
Mineral-casein ratio, effect on urolith formation or prevention, 392.
— nutrition of rabbits, effect of a physiological cation-anion imbalance on the growth and, 28.
Mink fed purified diets, the importance of arginine and methionine for the growth and fur development, 147.
— for growth and fur development, the thiamine, 211.
Modifications of diets responsible for induction of coronary thromboses and myocardial infarcts in rats, 325.
Monkeys, repletion and depletion of polyunsaturated fatty acids in Cebus, 245.
MORLEY, NINA H., MARGARET A. EDWARDS, IDA IRGENS-MØLLER, MURIEL J. WOODRING AND CLARA A. STORVICK. Riboflavin in the blood and urine of women on controlled diets, 191.
MORRISON, A. B., AND HERBERT P. SARETT. Effects of excess thiamine and pyridoxine on growth and reproduction in rats, 111.
MORRISON, A. B. See Dam, Richard, 277.
Mouse and rat, interrelation of cholesterol, palmitic acid, and unsaturated fatty acids in the growing, 185.
—, beneficial effects of alfalfa meal and other bulk-containing or bulk-forming materials on symptoms of Tween 60 toxicity in the immature, 172.

N

NAIL growth, an experimental study of, 121.
— —, rat, effect of diet, heat, cold, restraint, cortisone and ethionine on rate, 121.
NATH, M. C., AND A. SAIKIA. Effects of essential fatty acids, inositol, vitamin B_{12} and hydrolyzed glucose-cycloacetoacetate on blood coagulation factors in rabbits exhibiting hyperlipemia induced by feeding saturated fat, 403.
Nickel salts, dietary effect on incidence of liver tumor, 435.
Nitrate, effect of methemoglobin, 39.
— on rabbits and rats, the effects of dietary, 39.
NISHIHARA, HISAKO. See Weimer, Henry E., 151.
Nitrogen and energy supply, and on growth, body composition and serum cholesterol of rats, effect of dietary fats and carbohydrates on digestibility of, 325.
— balance of young adults consuming a deficient diet supplemented with torula yeast and other nitrogenous products, 49.
— intake upon the urinary riboflavin excretion of young male adults, the effect of, 85.
NORRIS, L. C. See Dam, Richard, 277.
NORTON, H. W. See Mameesh, M. S., 81.
Nutrition of rabbits, effect of a physiological cation-anion imbalance on the growth and mineral, 28.
— — the chinchilla, riboflavin in the, 214.
Nutritive value of foods, the effect of radiation sterilization on the, V. On the amino acid composition of milk and beef, 45.

O

OBESITY, riboflavin excretion, 191.
Oil, hydrogenated oil, wheat germ and sucrose, comparisons of atherogenesis in rabbits fed liquid, 202.
Oleic acid, dietary level, effect on growth, survival, relationship to palmitic acid and cholesterol, 185.
O'NEAL, ROBERT M. See Thomas, Wilbur A., 325.
Ores, the availability to chicks of zinc in various compounds and, 306.
Organic in nature, studies on unidentified chick growth factors apparently, 277.
Orthophosphate and metaphosphate in rats, effect of normal and high intakes of, 419.
OTT, WALTHER H. See Tennent, David M., 283.
OUSTERHOUT, L. E., C. R. GRAU AND B. D. LUNDHOLM. Biological availability of amino acids in fish meals and other protein sources, 65.
OVERBY, L. R., R. L. FREDRICKSON AND D. V. FROST. Inhibition of the amino acid-sugar reaction, 318.
—, —, —. The antithyrotoxic factor of liver. III. Comparative activity of liver residue and other proteins, 412.
Oxygen consumption of chicks, methionine, iodocasein and 295.

P

PALMITIC acid, and unsaturated fatty acids in the growing mouse and rat, interrelation of cholesterol, 185.
— —, dietary level, effect of added unsaturated fatty acids on survival, 185.
Pantothenic acid, deficiency alleviated by oxytetracycline, 81.

Penicillin, effect on vitamin deficiency, 74.
PETERSON, D. W. See Wheeler, Priscilla, 253.
Phenylalanine, requirement related to protein level, 387.
Phosphorus, effect of type fed on utilization, 419.
Phospholipid, plasmalogen and cholesterol in the rat, effect of thiamine deficiency and thiamine injection on total liver lipids, 229.
Pig(s), the effect of age and supplemental amino acids on the utilization of milk and soya protein by the young, 179.
— on survival under stress, influence of body composition of weanling, 128.
Plasma lipid concentrations and aortic atheromatosis in cholesterol-fed and diethylstilbestrol-implanted cockerels, the influence of selected vegetable fats on, 283.
Plasmalogen and cholesterol in the rat, effect of thiamine deficiency and thiamine injection on total liver lipids, phospholipid, 229.
PLOUGH, I. C., AND C. F. CONSOLAZIO. The use of casual urine specimens in the evaluation of the excretion rates of thiamine, riboflavin and N^1-methylnicotinamide, 365.
POLLARD, C. J. See Bieri, J. G., 301.
Polyunsaturated fatty acids in groups of Africans with low and high fat intake, 195.
——— Cebus monkeys, repletion and depletion of, 245.
POND, WILSON. See Barnes, Richard H., 269.
PORTMAN, OSCAR W., TAKUYA HAYASHIDA AND DOROTHY BRUNO. Repletion and depletion of polyunsaturated fatty acids in Cebus monkeys, 245.
Potassium, deficiency in rabbits due to New Hampshire timothy hay diet, 28.
—, effect of cation-anion imbalance, 28.
—, failure of growth and maintenance of Hb and bone ash levels, 28.
—, metabolism, 28.
Proceedings of the Twenty-Third annual meeting of the American Institute of Nutrition, 95.
Production of low-fat milk. I. Effect of quality and quantity of concentrate on the volatile fatty acids of the rumen and on the composition of the milk, 235.
Progeny, the effect of ascorbic acid in the diet of adult chickens on calcium utilization by the, 33.
Propionic acid, in ration, effect on growth, 135.
Propylthiouracil, influence on infarct production, 343.
Protein(s) and lysine requirement, II. Dietary level of, 58.
—— serum cholesterol, dietary fat and, 261.
— -bound carbohydrates and proteins during protein depletion and repletion in the adult rat, serial determinations of serum, 151.
— by the young pig, the effect of age and supplemental amino acids on the utilization of milk and soya, 179.
—, catabolism, effects of stress on, 128.
— changes in vitamin E-deficient chicks, serum, 301.
—, comparative activity of liver residue and other, 412.
— depletion and amino acid requirement in the growing chicken, 117.
—, —, effect of degree on serum components, 151.
—, effect on serum cholesterol of removal from diet, 261.
—, fat and cholesterol, effect of different fats and varying levels of, 163.
—, low intake, effect on serum cholesterol, 269.
—, level, relationship to cholesterol level, 105.
— mixtures for human feeding, all-vegetable, 351.
—, repletion, effect of degree on serum components, 151.
— sources, biological availability of amino acids in fish meals and other, 65.
—, the amino acid composition and the nutritive value of, 387.
—, vegetable mixtures for human feeding, 351.
Proteinuria by dietary glycine, suppression of rat, 429.
Pyridoxine on growth and reproduction in rats, effects of excess thiamine and, 111.

R

RABBIT(S) and rats, the effects of dietary nitrate on, 39.
—, effect of a physiological cation-anion imbalance on the growth and mineral nutrition, 28.
— exhibiting hyperlipemia induced by feeding saturated fat, effects of essential fatty acids, inositol, vitamin B_{12} and hydrolyzed glucose-cyclo-acetoacetate on blood coagulation factors in, 403.
— fed liquid oil, hydrogenated oil, wheat germ and sucrose, comparisons of atherogenesis in, 202.
Radiation sterilization on the nutritive value of foods, the effect of radiation sterilization. V. On the amino acid composition of milk and beef, 45.
—, vitamin K deficiency from feeding irradiated beef, 18.
Radium, utilization, effect of lactose, lysine, 23.
RAMAKRISHNAN, C. V. See Karmarkar, M. G., 274.
RAO, P. B., V. CHALAM METTA AND B. CONNOR JOHNSON. The amino acid composition and the nutritive value of proteins. I. Essential amino acid requirements of the growing rat, 387.
Rat(s) and baby chicks for evaluating corn-based vegetable mixtures, use of, 343.
—, effect of dietary fats and carbohydrates on digestibility of nitrogen and energy supply, and on growth, body composition and serum cholesterol of, 325.
—, effects of excess thiamine and pyridoxine on growth and reproduction in, 111.
—, essential amino acid requirements of the growing, 387.
— induced by the feeding of irradiated beef, vitamin K deficiency in, 18.
— in vitamin B_6 deficiency, the excretion of nitrogen by the, 383.
—, modifications of diets responsible for induction of coronary thromboses and myocardial infarcts in, 325.
— proteinuria by dietary glycine, suppression of, 429.
—, relation of dietary fat and supplementary riboflavin to tissue levels of cholesterol, riboflavin and total lipids in the, 356.
— to different levels of manganese following hepatectomy, the reaction of the, 158.
—— survive dietary deficiencies of single vitamins, studies on the ability of sorbitol and various sugars to enable chicks and, 74.
—, the effects of dietary nitrate on rabbits and, 39.
—, urolithiasis in the, 392.
— with nutritional edema, studies with the use of Co^{60}-labeled vitamin B_{12} on the interrelationship of choline and vitamin B_{12} in, 309.
Reaction, inhibition of the amino acid-sugar, 318.
— of the rat to different levels of manganese following hepatectomy, 158.
RECHCIGL, M. See Barnes, Richard H., 261.
Relation between dietary fat, fat content of milk and concentration of certain enzymes in human milk, 274.
— of dietary fat and supplementary riboflavin to tissue levels of cholesterol, riboflavin and total lipids in the rat, 356.
Repletion and depletion of polyunsaturated fatty acids in Cebus monkeys, 245.
Reproduction in rats, effects of excess thiamine and pyridoxine on growth and, 111.
Requirement in the growing chicken, protein depletion and amino acid, 117.
REUSSNER, G., JR. See Dymsza, H. A., 419.
Riboflavin, requirement, effect of various sugars on, 74.
—, excretion in obesity, 191.
—— of young male adults, the effect of nitrogen intake upon the urinary, 85.
— in the blood and urine of women on controlled diets, 191.
—, nonessential in diet of chinchilla, 214.
— to tissue levels of cholesterol, riboflavin and total lipids in the rat, relation of dietary fat and supplementary, 356.
—, urinary excretion, prediction from creatine excretion, 365.

Rice, lysine and threonine supplementation of, 217.
ROBINSON, R. R. See Shaw, J. C., 235.
ROELS, O. A., P. LEURQUIN AND MARIAN TROUT. Serum polyunsaturated fatty acids in groups of Africans with low and high fat intake, 195.
Role of coprophagy in the availability of vitamins synthesized in the intestinal tract with antibiotic feeding, the, 81.
Rooster, amino acid requirements for maintenance in the adult, 289.
ROSENBERG, HANS R., R. CULIK AND R. E. ECKERT. Lysine and threonine supplementation of rice, 217.
Rumen and on the composition of the milk. I. Effect of quality and quantity of concentrate on the volatile fatty acids of the, 235.

S

SAIKIA, A. See Nath, M. C., 403.
Salts upon azo dye carcinogenesis, the effect of certain, 435.
SANTIAGO, CARMEN LUZ. See Goyco, Jose A., 49.
SARETT, HERBERT P. See Morrison, A. B., 111.
SAUBERLICH, H. E. Studies with the use of Co^{60}-labeled vitamin B_{12} on the interrelationship of choline and vitamin B_{12} in rats with nutritional edema, 309.
SCRIMSHAW, N. S. See Squibb, R. L., 343.
SENGER, M. E. See Shaw, J. C., 235.
Serial determinations of serum protein-bound carbohydrates and proteins during protein depletion and repletion in the adult rat, 151.
Serum cholesterol in the chick, dietary modification of, 105.
— polyunsaturated fatty acids in groups of Africans with low and high fat intake, 195.
— protein-bound carbohydrates and proteins during protein depletion and repletion in the adult rat, serial determinations of, 151.
— — changes in vitamin E-deficient chicks, 301.
SHAW, J. C., R. R. ROBINSON, M. E. SENGER, S. LAKSHMANAN AND T. R. LEWIS. Production of low-fat milk. I. Effect of quality and quantity of concentrate on the volatile fatty acids of the rumen and on the composition of the milk, 235.
SIEGEL, HENRY. See Tennent, David M., 283.
Site of action of lactose in the enhancement of calcium utilization, the, 23.
SMITH, JANICE M., SHIH DZUNG CHEN LU, ALICE HARE, EDNA DICK AND MARTHA DANIELS. The effect of nitrogen intake upon the urinary riboflavin excretion of young male adults, 85.
Sorbitol, influence in offsetting vitamin deficiency, 74.
— and various sugars to enable chicks and rats to survive dietary deficiencies of single vitamins, studies on the ability of, 74.
Soya protein by the young pig, the effect of age and supplemental amino acids on the utilization of milk and, 179.
SPEER, V. C. See Hays, V. W., 179.
SQUIBB, R. L., M. K. WYLD, N. S. SCRIMSHAW AND R. BRESSANI. All-vegetable protein mixtures for human feeding. I. Use of rats and baby chicks for evaluating corn-based vegetable mixtures, 343.
Stearic acid when fed as a simple or mixed triglyceride, the absorbability of, 338.
STEENBOCK, HARRY, Borden Award recipient, 95.
Sterilization, effect of radiation on amino acid composition of foods, 45.
—, vitamin K deficiency induced by irradiated beef, 18.
STORVICK, CLARA A. See Morley, Nina H., 191.
Stress, effect of starvation and/or thirsting on body composition, survival, protein catabolism, 128.
Strontium, utilization, effect of lysine, lactose, 23.
Studies on the ability of sorbitol and various sugars to enable chicks and rats to survive dietary deficiencies of single vitamins, 74.
— — unidentified chick growth factors apparently organic in nature, 277.
— with the use of Co^{60}-labeled vitamin B_{12} on the interrelationship of choline and vitamin B_{12} in rats with nutritional edema, 309.
Sucrose, comparisons of atherogenesis in rabbits fed liquid oil, hydrogenated oil, wheat germ and, 202.
Sugars to enable chicks and rats to survive dietary deficiencies of single vitamins, 74.
Supplemental amino acids on the utilization of milk and soya protein by the young pig, the effect of age and, 179.
Suppression of rat proteinuria by dietary glycine, 429.
Survival under stress, influence of body composition of weanling pigs on, 128.
Swine, I. Adult, 261.

T

TALLOW, effect on aortic lesions, 163.
TENNENT, DAVID M., MARY E. ZANETTI, HENRY SIEGEL, GUNTHER W. KUHON AND WALTHER H. OTT. The influence of selected vegetable fats on plasma lipid concentrations and aortic atheromatosis in cholesterol-fed and diethylstilbestrol-implanted cockerels, 283.
THACKER, EDWARD J. Effect of a physiological cation-anion imbalance on the growth and mineral nutrition of rabbits, 28.
Thiamine and pyridoxine on growth and reproduction in rats, effects of excess, 111.
— deficiency and thiamine injection on total liver lipids, phospholipid plasmalogen and cholesterol in the rat, effect of, 229.
—, —, effect on total liver lipids, phospholipids, plasmalogens, and cholesterol, 229.
—, effect of injection on cholesterol following B_1 deficiency, 229.
—, requirement, effect of various sugars on, 74.
— — of the mink for growth and fur development, 211.
—, riboflavin and N^1-methylnicotinamide, the use of casual urine specimens in the evaluation of the excretion rates of, 365.
—, synthesis in rat by coprophagy, 81.
—, urinary excretion, prediction from creatinine excretion, 365.
THIESSEN, R., JR. See Dymsza, H. A., 419.
THOMAS, WILBUR A., W. STANLEY HARTROFT AND ROBERT M. O'NEAL. Modifications of diets responsible for induction of coronary thromboses and myocardial infarcts in rats, 325.
Threonine supplementation of rice, lysine and, 217.
—, requirement related to protein level, 387.
— supplementation of rice, lysine and, 217.
Thromboses and myocardial infarcts in rats, modifications of diets responsible for induction of coronary, 325.
Thyroid, activity, relationship to diet and serum cholesterol level, 105.
Thyrotoxicosis, effect of liver residue and protein on, 412.
Torula yeast and other nitrogenous products, nitrogen balance of young adults consuming a deficient diet supplemented with, 49.
TOTHILL, J. See March, B. E., 105.
Toxicity, Tween 60, effect of alfalfa meal on, 172.
—, — — — — — bulk in diet, 172.
Tract with antibiotic feeding, the role of coprophagy in the availability of vitamins synthesized in the intestinal, 81.
Triglyceride, the absorbability of stearic acid when fed as a simple or mixed, 338.
TROUT, MARIAN. See Roels, O. A., 195.
Tryptophan, availability in the chick, 65.
—, requirement related to protein level, 387.
TSIEN, W. S., AND B. CONNOR JOHNSON. The effect of radiation sterilization on the nutritive value of foods. V. On the amino acid composition of milk and beef, 45.

Tween 60 toxicity in the immature mouse, beneficial effects of alfalfa meal and other bulk-containing or bulk-forming materials on symptoms of, 172.
Tyrosine, requirement related to protein level, 387.

U

URINE of women on controlled diets, riboflavin in the blood and, 191.
— specimens in the evaluation of the excretion rates of thiamine, riboflavin and N^1-methylnicotinamide, the use of casual, 365.
Urinary excretion of calcium and magnesium, galactose, 142.
— riboflavin excretion of young male adults, the effect of nitrogen intake upon the, 85.
URBAN, THEODORE J. The reaction of the rat to different levels of manganese following hepatectomy, 158.
Urolithiasis in the rat. I. The influence of diet on the formation and prevention of calcium citrate calculi, 392.
Use of casual urine specimens in the evaluation of the excretion rates of thiamine, riboflavin and N^1-methylnicotinamide, the, 365.
Utilization, the site of action of lactose in the enhancement of calcium, 23.

V

VALINE, availability in the chick, 65.
—, requirement related to protein level, 387.
VAN HANDEL, E., AND D. B. ZILVERSMIT. Comparisons of atherogenesis in rabbits fed liquid oil, hydrogenated oil, wheat germ and sucrose, 202.
VAN REEN, ROBERT, H. W. LYON AND F. L. LOSEE. Urolithiasis in the rat. I. The influence of diet on the formation and prevention of calcium citrate calculi, 392.
Vegetable mixtures, I. Use of rats and baby chicks for evaluating corn-based, 343.
Vitamin(s) A, effect on nail growth in rat, 121.
— B_2, deficiency, relation to urea excretion, 383.
— E, deficiency, effect on globulin fractions, 301.
— — -deficient chicks, serum protein changes in, 301.
— K deficiency in rats induced by the feeding of irradiated beef, 18.
—, estimation of excretion rate from casual prine specimens, 365.
—, studies on the ability of sorbitol and various sugars to enable chicks and rats to survive dietary deficiencies of single, 74.
— synthesized in the intestinal tract with antibiotic feeding, the role of coprophagy in the availability of, 81.

W

WEBB, R. E. See Mameesh, M. S., 81.
WEIMER, HENRY E., HISAKO NISHIHARA AND SHUM HUNG LING. Serial determinations of serum protein-bound carbohydrates and proteins during protein depletion and repletion in the adult rat, 151.
WEISS, HAROLD S. See Fisher, Hans, 163.
WHARTON, F. D., JR., J. C. FRITZ AND L. J. CLASSEN. Studies on the ability of sorbitol and various sugars to enable chicks and rats to survive dietary deficiencies of single vitamins, 74.
Wheat germ and sucrose, comparisons of atherogenesis in rabbits fed liquid oil, hydrogenated oil, 202.
WHEELER, PRISCILLA, D. W. PETERSON AND G. D. MICHAELS. Fatty acid distribution in egg yolk as influenced by type and level of dietary fat, 253.
WILLIAMS, J. N., JR., AND CARL E. ANDERSON. Effect of thiamine deficiency and thiamine injection on total liver lipids, phospholipid, plasmalogen and cholesterol in the rat, 229.
WOMACK, MADELYN. See Marshall, Mary W., 325.
Women on controlled diets, riboflavin in the blood and urine of, 191.
WOODRING, MURIEL J. See Morley, Nina H., 191.
WYLD, M. K. See Squibb, R. L., 343.

Y

YEAST, Brewers', effect on nitrogen retention, 49.
—, torula, effect on nitrogen balance, 49.

Z

ZANETTI, MARY E. See Tennent, David M., 283.
ZILVERSMIT, D. B. See Van Handel, E., 202.
Zinc in various compounds and ores, the availability to chicks of, 306.
—, ability of unidentified factor in liver extract to replace, 277.